

In-Office Cost System (IOCS) Statistical and Computer Documentation (Source Code and Data on CD-ROM)

I. PREFACE

A. Purpose and Content

Attachment USPS-FY10-37 documents the In-Office Cost System, including statistical design for and estimation of in-office labor costs. It also presents FY10 CVs and confidence intervals for the estimates.

B. Predecessor Document

Documentation of statistical design and estimation were provided previously in Docket No. R2006-1, USPS-LR-L-9 and ACR2009, USPS-F09-37.

C. Corresponding Non-Public Document

USPS-FY10-NP21, In-Office Cost System (IOCS) Statistical and Computer Documentation (Source Code and Data on CD-ROM).

D. Methodology

The methodology used to produce the IOCS data is the same as described in ACR 2009, with the following changes.

Costs are now assigned to the host mailpiece rather than an Extra Service when the piece is accepted at the window, has non-retail indicia and hosts any Extra Service other than for Registered Mail. (Docket No. RM2010-12, Proposal Four, September 8, 2010).

Inbound International product's costs are now assigned to country groupings within IOCS so that normal downstream CRA and ICRA processes can automatically distribute costs to country groupings that are consistent with other mail products. See Table 1 for a list of new activity codes (Docket No. RM2011-5, Proposal Ten, December 20, 2010).

In FY10 the IOCS data collection instrument was updated in response to PRC Order No. 154. Old questions have been restructured and new questions added to gather cost data on retail products: Collectible items (new activity codes 5134/6134); Greeting cards (5135/6135); Photocopy service (6136); and ReadyPost (5132/6132). Prior to FY10, ReadyPost was part of a question that dealt primarily with money orders. Now it is part of a new question that also asks about free USPS-provided mailing supplies (5130/6130) and about multiple types of supplies (5133/6133). When the employee is working with multiple types of supplies, the costs are redistributed back to each type in proportion to their individual costs.

Carriers scanning either Delivery Confirmation or Signature Confirmation barcodes are now assigned the same activity code, (6435, now labeled Scanning, formerly Delivery Confirmation), when they are not handling mail or mail transport equipment. Activity code 6436 (formerly Signature Confirmation) has now been deleted. When the carrier is handling a mailpiece, the specific Extra Service is determined from the characteristics of that mailpiece.

E. Input/Output

Cost estimates from the In-Office Cost System rely on no input data. Outputs from the In-Office Cost System are used as inputs to:

USPS-FY10-2	Public Cost Segments and Components
USPS-FY10-7	Cost Segment 3 Cost Pools & Other Related Information
USPS-FY10-8	Equipment and Facility Related Costs
USPS-FY10-19	Delivery Costs By Shape
USPS-FY10-NP2	International Cost and Revenue Analysis (ICRA).
USPS-FY10-NP7	Cost Segment 3 International Subclass Costs by Cost Pools

II. ORGANIZATION

This document describes the statistical design of IOCS, and provides information on the system's programs. Appendix A lists changes in data codes since FY09. Electronic data files, programs, data dictionary, flowchart and CVs are provided in the accompanying CD, described in Appendix B.

III. OVERVIEW

The In-Office Cost System (IOCS) is a continuous, ongoing probability sample of work time to estimate costs of various activities performed by clerks, mail handlers, city carriers, and supervisors. Although the Postal Accounting system tracks costs for various categories of employees, it does not identify labor costs by product because employees are simultaneously processing more than one product in most operations. The IOCS is designed to supplement the accounting system data by sampling employees at randomly selected points in time throughout the year. When an employee is sampled, the activity of the employee at that point in time is recorded directly into a laptop computer using the IOCS Computerized On-Site Data Entry System (IOCS-CODES) software.

These sample data, in combination with data from the accounting system and the MODS system, are used to produce detailed estimates of attributable costs for various activities.

A. Use of IOCS Data in Distribution of Costs to Mail Categories

IOCS estimates are used to distribute volume variable costs to products for cost segments 3 (clerk/mail handler-CAG A-J Post Offices), 4 (clerks - CAG K Post Offices), and 6 (city carrier, in-office). The data are generally tabulated at the "cost pool" level for costing purposes; see USPS-FY10-7.

B. Other Uses of IOCS Data for Costing

Cost estimates from the IOCS are also used to develop accrued costs for segment 2 (supervision of mail processing, window service, admin support...), segment 6 (city carrier in-office), and segment 7 (city carrier street time). For example, the accounting system provides total accrued costs of city carriers (Cost Segments 6 and 7 combined),

and an IOCS estimate of the proportion of city carrier cost while in the office is used to split accrued costs between segments 6 and 7.

In addition, the distribution of volume variable costs in other segments and components relies indirectly on IOCS. For example, volume variable rental costs for window service space are distributed as window service in segment 3.2, and the volume variable costs of segment 3.2 are distributed to products based on IOCS estimates.

Documentation for the In-Office Cost System provided in USPS-LR-L-9, Docket No. R2006, included complete programs and descriptions of field data collection processes and data editing. Those programs and descriptions have incurred no substantive changes and are not reproduced herein. Sample selection programs have been converted from COBOL to SAS, and are provided on the accompanying CD.

IV. STATISTICAL STUDY DESIGN

The universe under study in IOCS consists of all the work time, during a Fiscal Year, of all employees in four employee crafts: 1) Clerks, 2) Mail Handlers, 3) City Carriers, and 4) Supervisors.¹ The IOCS is a three-stage probability sample of employee work time, stratified by employee craft and by Cost Ascertainment Group (CAG). The details for each of the stages are described below:

A. First Stage Sample

The first stage sampling unit is a finance number, or post office. The IOCS office frame consists of all finance numbers which contain employees eligible for sampling in IOCS. Finance numbers are stratified by size into CAGs, where the measure of size for each office is its total revenue receipts two years previous. The office frame consists of finance numbers whose CAG status is at K or above. The Bulk Mail Centers (BMC) and processing and distribution facilities (P&DC, AMC, AMF and some P&DF) are considered as part of the stratum of largest (CAG A and B) offices.

All offices that were in CAG A or CAG B prior to 1992 and remained in CAGs A or B are included in the sample. In each of the other CAGs a panel of offices is used to represent the office frame.

¹ This group includes professional, administrative and technical staff.

Table 1 summarizes the first-stage sample and universe sizes.

Table 1
First-Stage Universe and Sample

	Fiscal Year	
	2010	
	Office Frame	Sample Size
	Sum	Sum
CAG Group		
A/B	3,138	2,873
C	1,477	381
D	890	105
E	1,687	81
F	2,250	45
G	3,088	107
H/J	4,147	177
K	106	6
Total	16,783	3,775

B. Second Stage Sample

The second stage sampling unit is the employee-week. Employees are stratified by craft within CAG. Sampling rates are specific to craft-CAG combinations. In order to generate more accurate cost estimates for international products, clerks and mail handlers in offices with high volumes of international mail are sampled at higher rates. Within each office, a higher sampling rate is assigned to a group of pay locations with a historically higher incidence of handling international mail. This is offset by reducing the employee sampling rate for the rest of the pay locations in that office. For FY2010, 61 offices were identified for this procedure. For these offices, the weekly employee sampling rates ranged from 0.02 to 0.50, as compared to the default rate of 0.03 for CAG A clerks and mail handlers.

Table 2 summarizes the employee sampling rates and Table 3 shows the FY 2010 sample sizes by craft and CAG group.

Table 2
Employee Sampling Rates by CAG and Employee Craft

CAG	CRAFT					
	Clerk - Regular	Clerk - Other	Mail-Handlers	City Carrier - Regular	City Carrier - Other	Super-visors
A/B & BMCs	.03	.03	.03	.024	.024	.04
C	.09	.09	.09	.073	.073	.10
D	.17	.17	.17	.138	.138	.10
E	.24	.24	.24	.194	.194	.16
F	.50	.50	.50	.405	.405	.40
G	.50	.50	.50	.405	.405	.50
H	.50	.50	.50	.405	.405	.50
J	.50	.50	.50	.405	.405	.50
K	.50	.50	.00	.00	.00	.00

Table 3
Fiscal Year 2010
Unweighted Tallies
Excludes Generated Records

NOTE: BF4 includes nonscheduled leave, samples not received, at lunch, etc.

Table of Craft by CAG

	CAG									Total
	A/B	C	D	E	F	G	H/J	K		
	N	N	N	N	N	N	N	N		
Craft										
Supervisor	22,037	3,892	967	591	369	166	73	.		28,095
Supervisor BF4	19,293	3,462	1,045	757	534	336	546	43		26,016
Clerk-Reg	82,685	11,891	4,418	2,747	1,469	1,024	341	.		104,575
Clerk-Reg BF4	78,087	9,152	3,456	2,427	1,181	825	294	.		95,422
Clerk-Sub	4,809	1,503	1,210	1,383	1,331	2,260	2,454	69		15,019
Clerk-Sub BF4	6,200	1,389	1,065	1,440	1,310	2,636	3,684	158		17,882
Mail Handler	45,173	817	53	47		46,090
Mail Handler BF4	45,782	692	41	51		46,566
Carrier-Reg	58,179	26,059	10,997	6,349	2,612	1,219	697	.		106,112
Carrier-Reg BF4	37,398	16,869	6,762	4,509	1,630	685	416	.		68,269
Carrier-Sub	9,529	4,616	2,266	1,553	1,020	829	657	.		20,470
Carrier-Sub BF4	5,530	2,498	1,324	998	741	624	702	.		12,417
Total	414,702	82,840	33,604	22,852	12,197	10,604	9,864	270		586,933

C. Third Stage Sample

The third stage of selection is the instant of time, within the selected week, for which the employee is scheduled for observation. Within the selected week, a day is first selected randomly with the probability proportional to the number of employees who work that day. The selection probabilities are 15/90 for a regular working day (Monday to Friday), 11/90 for Saturday, and 4/90 for Sunday. Then, within the selected day, the employee's scheduled reading period is determined by a random selection of a two-hour interval (first, second, third, or last) over the employee's actual tour of duty. For supervisors, clerks, and mailhandlers, the probability of selection is (5/21, 5/21, 5/21, 6/21) respectively. For carriers, the probability of selection is (5/17, 5/17, 1/17, 6/17). Finally, a random time is selected within the selected interval with a probability of 1/120.

D. Cost Estimation

The IOCS cost weighting factor is derived from standard design-based weights and national level accrued quarterly cost data for the crafts eligible for IOCS sampling. The cost weighting factor is constructed so that weighted sums of IOCS data produce cost estimates consistent with trial balance accrued costs by quarter.

1. Design Based Weight

The design based weights, W_{hijk} , are developed from the sampling design:

$$W_{hijk} = 1/P_h * 1/P_{hijk} * 1/P_D * 1/P_R * 1/P_T$$

where

P_h = n_h / N_h , the ratio of sample offices, n_h , to total offices, N_h , for CAG h

P_{hijk} = weekly sampling rate for employee k at pay location j, craft i, CAG h,

P_D = selection probability for the day of week

P_R = selection probability for the reading period

P_T = selection probability for the instant of time for observation

W_{hijk} = design based weight for employee k at pay location j, craft i, CAG h

2. Cost Weighting Factor

The cost weighting factor "COST-BASED WEIGHT" is a dollar weight. Total accrued cost for the stratum is distributed to each employee in proportion to the employee's design weight relative to the total design weight for the stratum.

$$CW_{hijk} = \frac{W_{hijk}}{\sum_j \sum_k W_{hijk}} C_{hi}$$

where

CW_{hijk} = cost-based weight for employee k at pay location j, craft i, CAG h, and C_{hi} = accrued cost for craft i, CAG h,.

3. The Heavy/Light Weight

For computational purposes, a relative or scaled design based weight, the Heavy/Light weight, is saved on the data record and used for computing the cost weighting factor. The Heavy/Light weight is the ratio of the design weight W_{hijk} to a standard weight.² Its value is one for regular observations, and varies for observations which were selected with probabilities different than the standard probability within a CAG/Craft group. For example, if employees in a particular CAG/Craft group are normally selected with probability 0.03, but employees in one pay location are selected with probability 0.06, then the heavy/light weight for employees in that pay location would be $\frac{1}{2}$, since weights are the reciprocals of the probabilities of selection.

As shown below, the use of this heavy/light weight rather than the design weight does not affect the value of CW_{hijk} , since the standard weight is the same for all observations within a CAG/Craft group.

Let

W_{hi}^s = the standard weight for CAG h craft i, and

$W_{hijk}^* = W_{hijk} / W_{hi}^s$ = the heavy/light weight.

Then substituting W_{hijk}^* for W_{hijk} in the formula for CW_{hijk} , above, yields

$$CW_{hijk} = \frac{W_{hijk}^*}{\sum_j \sum_k W_{hijk}^*} C_{hi} = \frac{(W_{hijk} / W_{hi}^s)}{\sum_j \sum_k (W_{hijk} / W_{hi}^s)} C_{hi} = \frac{W_{hijk}}{\sum_j \sum_k W_{hijk}} C_{hi}.$$


The method of estimation assumes that the sample of offices in each CAG constitutes an equal probability sample. It also assumes nonresponse is random, or independent of what is being estimated, and can therefore be regarded as constituting a simple reduction in sample size.

² The standard weight for an observation that is tabulated in CAG H refers to the design weight of an observation sampled at a CAG H facility without pay location over-sampling, with reading number 1, 2, or 3, and scheduled for Monday to Friday.

V. SYSTEM FLOWCHART

The IOCS processing flow consists of many processes that occur at various frequencies throughout the year. The following flowchart diagrams the order of major processing steps and their frequency within an annual processing cycle.

IOCS System Flowchart



VI. PROGRAM DOCUMENTATION

The programs that assign activity codes, basic function, operation/route codes and that perform cost estimation are documented in this section. Copies of the SAS programs and JCL are provided electronically on the accompanying CD.

ALB040 - Program

The central function of this program is to assign initial four-digit activity codes for labor activities or products and to assign up to five special service codes. In addition, it assigns initial basic function and operation/route codes.

Inputs are:

- IOCS tally data;
- Periodicals data (ISSN, Publication No.);
- ZIP Code to County mapping;
- Postal Rates.

Output is a file of IOCS tally data with activity code, basic function and operation/route codes assigned, and with coded extra services.

ALB060 - Program

The main function of this SAS program is to perform edit and consistency checking. It checks the validity of certain data and checks certain related fields within the record for consistency. Records that fail the checks are assigned an error code and written to an error file for later correction, while remaining records are written to a "clean records" file. This program is applied several times in an iterative cycle with program ALB078.

Inputs are:

- IOCS tally data, either from ALB040 or from ALB078;
- finance numbers in the IOCS panel;
- tables of activity codes, extra service codes, operation/route codes, and country codes.

Output consists of two files, one with tallies that are clean, and one with tallies with data inconsistencies to be resolved.

ALB078 - Program

This is a SAS error correction program. Its purpose is to resolve data inconsistencies that lead to the error codes assigned by ALB060. It is applied several times in an iterative cycle with program ALB060.

Input is the file of tallies with data inconsistencies from ALB060. Output is a file of these tallies with updates and corrections.

ALB080 - Program

This program applies encirclement rules, assigning costs to extra services when appropriate. The previous activity code is overwritten, and an extra service activity code is formed by appending a zero to the appropriate 3-digit extra service code.

Inputs are the files of tallies output from programs ALB060 and ALB078.

Outputs are the IOCS tallies with activity codes encircled when appropriate, in both SAS and flat files.

ALB101 Program

The central purpose of this program is to produce IOCS cost weighting factors. It also merges in the results of the external international edit and the external Periodicals review, and performs corrections to some activity codes. The IOCS cost weighting factor is derived from standard design-based weights and national level accrued quarterly cost data for the crafts eligible for IOCS sampling. The cost weighting factor is constructed so that weighted sums of IOCS data produce cost estimates consistent with trial balance accrued costs by quarter.

Inputs are:

- IOCS tally files that were output from program ALB080;
- list of finance numbers with corresponding CAG/Finance group codes;
- list of finance numbers with updated CAG and weighting factors;
- files of Post Office accrued expense data by craft and CAG;
- Periodicals tallies after external review;
- international tallies after external review;
- edited tallies from external review of barcode scans;
- edited tallies from external review of anomaly log;
- sampling rate data used in sample selection for regular offices;
- sample rate data used in sample select for heavy/light offices;
- tallies of supervisors with automatically coded activity codes.

Outputs are:

- IOCS tally files with cost weights assigned and with edits and automatically assigned activity codes incorporated;
- File of dollar values by shape for products with mixed mail costs distributed in ALB103.

ALB103 - Program

SAS program, ALB103 is executed to 1) generate IOCS records representing counted mixed mail for counted items and 2) add detailed international activity codes.

Inputs are:

- IOCS tally file from ALB101;
- detail data records for counted mixed mail;
- Costs by product and shape from ALB101;

Outputs are the IOCS tallies with additional records for counted mixed mail and with additional detail for international tallies, in SAS and flat files.

ALB106 - Program

This program reformats and summarizes the IOCS tally data into the form required by the CARMM procedure. It also produces several craft level reports for input into CRA spreadsheets.

The summary output file drops basic function 4 records, then summarizes tallies and dollars for groups defined by CAG, Finance Grouping, craft code designation, operation/route code, basic function, and activity code.

CS2SUPV - Program

This program produces a report on split supervisor activity codes. The results are input to the C/S 2 spreadsheets.

- There are two analyses of activity code 7470 (supervision of mixed clerk/mail handler activities), the first reports on certain activities that should *not* be included—i.e., carrier activities (Q15D), other craft-level employees (Q15F), and no craft-level employees (Q15G). If none of these are found, “NO OTHERS” will be 100.0 percent. The second analysis is used to reallocate a portion of 7470 to mail processing, window, and administrative activities (Q15E1, Q15E3).
- An analysis of activity code 7635 (supervision of two or more clerk/mail handler activities) verifies that very few tallies include administrative/other activities (Q15E1) or other craft-level employees (Q15F).
- There are two analyses of activity code 7637 (supervision of clerks/mail handlers and at least one carrier). The first analysis determines the proportions of the various activities assigned to mail processing, window and admin (Q15E1, Q15E3, Q15F, Q15G). The second analysis narrows the mail processing activities to bulk mail acceptance, collection/preparation, processing/distribution, and miscellaneous (Q15E1).

CS3EQUIP - Program

This program develops distribution keys for mail processing equipment and training. The program selects all tallies for which:

- Employee is a clerk or mail handler
- Employee is not at a CAG K office
- Employee is assigned a direct mail activity code
- Employee is in a mail-processing related operation

The selected records are divided into types of equipment being used, type of manual operation being performed, BMC, parcels, and other mail processing activities. They are then assigned to product based on activity code, and reports are written.

ALBCARMM - Program

The function of the City **Carrier Mixed Mail** (CARMM) Cost Distribution System is to distribute mixed mail costs to direct mail activity codes and to produce a variety of summary reports as output. The inputs are: 1) cost data summarized by ALB106; 2) a table mapping direct mail activity codes to mixed mail codes.

APPENDIX A: CHANGES IN IOCS CODES FROM FY2009 TO FY2010

The file of all IOCS codes, MASTER.CODES.FY10 is provided on the accompanying CD.

Table 1: Changes in Activity Codes

Action	Activity Code	Activity Code Description
Deleted	1636	FREE MATTER FOR THE BLIND
Added	1674	FREE MATTER FOR THE BLIND
Deleted	1736	FREE MATTER FOR THE BLIND
Added	1774	FREE MATTER FOR THE BLIND
Added	1815	SURFACE MAIL - LC / AO, CANADA(CA)
Added	1817	SURFACE MAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	1819	SURFACE MAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	1835	SURFACE MAIL – “M” BAG, CANADA(CA)
Added	1837	SURFACE MAIL - “M” BAG, INDUSTRIALIZED CNTRY(IC)
Added	1839	SURFACE MAIL - “M” BAG, DEVELOPING CNTRY(DC)
Added	1845	AIRMAIL - LC / AO, CANADA(CA)
Added	1847	AIRMAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	1849	AIRMAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	1865	AIRMAIL - “M” BAG, CANADA(CA)
Added	1867	AIRMAIL - “M” BAG, INDUSTRIALIZED CNTRY(IC)
Added	1869	AIRMAIL - “M” BAG, DEVELOPING CNTRY(DC)
Added	1875	AIRMAIL - EXPRESS, CANADA(CA)
Added	1877	AIRMAIL - EXPRESS, INDUSTRIALIZED CNTRY(IC)
Added	1879	AIRMAIL - EXPRESS, DEVELOPING CNTRY(DC)
Added	1885	AIRMAIL – GLOBAL PRIORITY MAIL, CANADA(CA)
Added	1887	AIRMAIL - GLOBAL PRIORITY MAIL, INDUSTRIALIZED CNTRY(IC)
Added	1889	AIRMAIL - GLOBAL PRIORITY MAIL, DEVELOPING CNTRY(DC)
Deleted	2636	FREE MATTER FOR THE BLIND
Added	2674	FREE MATTER FOR THE BLIND
Deleted	2736	FREE MATTER FOR THE BLIND
Added	2774	FREE MATTER FOR THE BLIND
Added	2815	SURFACE MAIL - LC / AO, CANADA(CA)
Added	2817	SURFACE MAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	2819	SURFACE MAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	2825	SURFACE MAIL – PARCEL POST, CANADA(CA)
Added	2827	SURFACE MAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	2829	SURFACE MAIL - PARCEL POST, DEVELOPING CNTRY(DC)
Added	2835	SURFACE MAIL – “M” BAG, CANADA(CA)
Added	2837	SURFACE MAIL - “M” BAG, INDUSTRIALIZED CNTRY(IC)
Added	2839	SURFACE MAIL - “M” BAG, DEVELOPING CNTRY(DC)
Added	2845	AIRMAIL - LC / AO, CANADA(CA)
Added	2847	AIRMAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	2849	AIRMAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	2855	AIRMAIL - PARCEL POST, CANADA(CA)
Added	2857	AIRMAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	2859	AIRMAIL - PARCEL POST, DEVELOPING CNTRY(DC)

Added	2865	AIRMAIL - "M" BAG, CANADA(CA)
Added	2867	AIRMAIL - "M" BAG, INDUSTRIALIZED CNTRY(IC)
Added	2869	AIRMAIL - "M" BAG, DEVELOPING CNTRY(DC)
Added	2875	AIRMAIL - EXPRESS, CANADA(CA)
Added	2877	AIRMAIL - EXPRESS, INDUSTRIALIZED CNTRY(IC)
Added	2879	AIRMAIL - EXPRESS, DEVELOPING CNTRY(DC)
Added	2885	AIRMAIL - GLOBAL PRIORITY MAIL, CANADA(CA)
Added	2887	AIRMAIL - GLOBAL PRIORITY MAIL, INDUSTRIALIZED CNTRY(IC)
Added	2889	AIRMAIL - GLOBAL PRIORITY MAIL, DEVELOPING CNTRY(DC)
Deleted	3636	FREE MATTER FOR THE BLIND
Deleted	3639	ECONOMY MAIL - "M" BAG
Added	3674	FREE MATTER FOR THE BLIND
Deleted	3736	FREE MATTER FOR THE BLIND
Deleted	3739	ECONOMY MAIL - "M" BAG
Added	3774	FREE MATTER FOR THE BLIND
Added	3815	SURFACE MAIL - LC / AO, CANADA(CA)
Added	3817	SURFACE MAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	3819	SURFACE MAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	3825	SURFACE MAIL - PARCEL POST, CANADA(CA)
Added	3827	SURFACE MAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	3829	SURFACE MAIL - PARCEL POST, DEVELOPING CNTRY(DC)
Added	3835	SURFACE MAIL - "M" BAG, CANADA(CA)
Added	3837	SURFACE MAIL - "M" BAG, INDUSTRIALIZED CNTRY(IC)
Added	3839	SURFACE MAIL - "M" BAG, DEVELOPING CNTRY(DC)
Added	3845	AIRMAIL - LC / AO, CANADA(CA)
Added	3847	AIRMAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	3849	AIRMAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	3855	AIRMAIL - PARCEL POST, CANADA(CA)
Added	3857	AIRMAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	3859	AIRMAIL - PARCEL POST, DEVELOPING CNTRY(DC)
Added	3865	AIRMAIL - "M" BAG, CANADA(CA)
Added	3867	AIRMAIL - "M" BAG, INDUSTRIALIZED CNTRY(IC)
Added	3869	AIRMAIL - "M" BAG, DEVELOPING CNTRY(DC)
Added	3875	AIRMAIL - EXPRESS, CANADA(CA)
Added	3877	AIRMAIL - EXPRESS, INDUSTRIALIZED CNTRY(IC)
Added	3879	AIRMAIL - EXPRESS, DEVELOPING CNTRY(DC)
Added	3885	AIRMAIL - GLOBAL PRIORITY MAIL, CANADA(CA)
Added	3887	AIRMAIL - GLOBAL PRIORITY MAIL, INDUSTRIALIZED CNTRY(IC)
Added	3889	AIRMAIL - GLOBAL PRIORITY MAIL, DEVELOPING CNTRY(DC)
Added	4635	GLOBAL BULK ECONOMY (GBE)
Deleted	4636	FREE MATTER FOR THE BLIND
Deleted	4639	ECONOMY MAIL - "M" BAG
Added	4674	FREE MATTER FOR THE BLIND
Added	4735	GLOBAL BULK ECONOMY (GBE)
Deleted	4736	FREE MATTER FOR THE BLIND
Deleted	4739	ECONOMY MAIL - "M" BAG
Added	4774	FREE MATTER FOR THE BLIND
Added	4815	SURFACE MAIL - LC / AO, CANADA(CA)
Added	4817	SURFACE MAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)

Added	4819	SURFACE MAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	4825	SURFACE MAIL – PARCEL POST, CANADA(CA)
Added	4827	SURFACE MAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	4829	SURFACE MAIL - PARCEL POST, DEVELOPING CNTRY(DC)
Added	4835	SURFACE MAIL – “M” BAG, CANADA(CA)
Added	4837	SURFACE MAIL - “M” BAG, INDUSTRIALIZED CNTRY(IC)
Added	4839	SURFACE MAIL - “M” BAG, DEVELOPING CNTRY(DC)
Added	4845	AIRMAIL - LC / AO, CANADA(CA)
Added	4847	AIRMAIL - LC / AO, INDUSTRIALIZED CNTRY(IC)
Added	4849	AIRMAIL - LC / AO, DEVELOPING CNTRY(DC)
Added	4855	AIRMAIL - PARCEL POST, CANADA(CA)
Added	4857	AIRMAIL - PARCEL POST, INDUSTRIALIZED CNTRY(IC)
Added	4859	AIRMAIL - PARCEL POST, DEVELOPING CNTRY(DC)
Added	4865	AIRMAIL - “M” BAG, CANADA(CA)
Added	4867	AIRMAIL - “M” BAG, INDUSTRIALIZED CNTRY(IC)
Added	4869	AIRMAIL - “M” BAG, DEVELOPING CNTRY(DC)
Added	4875	AIRMAIL - EXPRESS, CANADA(CA)
Added	4877	AIRMAIL - EXPRESS, INDUSTRIALIZED CNTRY(IC)
Added	4879	AIRMAIL - EXPRESS, DEVELOPING CNTRY(DC)
Added	4885	AIRMAIL – GLOBAL PRIORITY MAIL, CANADA(CA)
Added	4887	AIRMAIL - GLOBAL PRIORITY MAIL, INDUSTRIALIZED CNTRY(IC)
Added	4889	AIRMAIL - GLOBAL PRIORITY MAIL, DEVELOPING CNTRY(DC)
Deleted	5070	AT WINDOW SERVING A CUSTOMER-SETTING METERS
Changed	5130	AT WINDOW SERVING A CUSTOMER-MAILING SUPPLIES (FREE/USPS)
Changed	5132	AT WINDOW SERVING A CUSTOMER-MAILING SUPPLIES (READYPOST)
Added	5133	AT WINDOW SERVING A CUSTOMER-MAILING SUPPLIES (MIXED SUPPLIES)
Added	5134	AT WINDOW SERVING A CUSTOMER-COLLECTABLE ITEMS
Added	5135	AT WINDOW SERVING A CUSTOMER-GREETING CARDS
Deleted	5195	AT WINDOW SERVING A CUSTOMER-FIRSTCLASS PHONECARD
Deleted	6070	WINDOW RELATED ACTIVITY-SETTING METERS
Changed	6130	WINDOW RELATED ACTIVITY -MAILING SUPPLIES (FREE/USPS)
Changed	6132	WINDOW RELATED ACTIVITY -MAILING SUPPLIES (READYPOST)
Added	6133	WINDOW RELATED ACTIVITY -MAILING SUPPLIES (MIXED SUPPLIES)
Added	6134	WINDOW RELATED ACTIVITY -COLLECTABLE ITEMS
Added	6135	WINDOW RELATED ACTIVITY -GREETING CARDS
Added	6136	WINDOW RELATED ACTIVITY-PHOTOCOPYING SERVICES
Deleted	6195	WINDOW RELATED ACTIVITY-FIRSTCLASS PHONECARD
Changed	6435	SCANNING
Deleted	6436	SIGNATURE CONFIRMATION

APPENDIX B: IOCS CD-ROM CONTENTS

The associated CD-ROM contains the following.

1. Directory Data\ contains the IOCS dataset, both a PC-SAS dataset, PRCPub10.sas7bdat, the contents of this file, ReadPRCPubOutput.txt, a flat file, PRCPub10Flat.dat, and a macro to read the flat file.
2. Directory SASPrograms\ contains the SAS programs used to assign activity codes, basic function and operation/route numbers, and to estimate costs.
3. Directory JCL\ contains the JCL used to run the SAS programs.
4. Directory ALB\HQ624D01\ contains the total dollars by craft and CAG that are distributed by IOCS.
5. File IOCSDataDictionaryFY10.xls describes the variables in the IOCS data files.
6. File MASTER.CODES.FY10 is a list of codes used in IOCS.
7. File ReadPRCSASOutput.txt is the output of a program that lists the variables in the PRCPub10 dataset and prints 10 records.
8. File IOCSDataEntryFlowchartFY10.xls is the flowchart describing the CODES software survey instrument.
9. File "IOCS CVs FY10 Public.xls" has the IOCS CVs.

Note: The data file contains data elements of the IOCS data file used for the development of the Fiscal Year 2010 CRA. It was developed by dropping variables not used in development of the CRA, and recoding variables containing sensitive information.

The following variables were recoded:

- Field F1 - the second character of F1 (area identifier) has been recoded.
- Field F2 - finance number has been recoded.
- Field Q01 - employee identification number has been recoded.